

**PROPOSED REGULATIONS – Post-Hearing, Withdrawn Regulatory Text for  
Alternative Management Standards for Treated Wood Waste – R-2005-04**

Changes in this version reflect post-hearing changes  
from the text as originally proposed.

Key to changes:

Underline: New text

Strikeout: Deleted text

Amend sections 67386.5 and 67386.6 of the California Code of Regulations, title 22,  
division 4.5, chapter 34 to read as follows:

**§ 67386.5 Labeling**

\* \* \* \* \*

(e) TWW<sub>1</sub> generated by a household<sub>1</sub> while being self-transported to an approved  
TWW facility is exempt from the labeling requirements of this section if the TWW is  
identified to the TWW facility as TWW.

Note: Authority cited: Sections 25150, 25150.7, and 58012, Health and Safety Code.  
Reference: Sections 25150.7 and 25150.8, Health and Safety Code.

**§ 67386.6 Accumulation**

(a) TWW shall be maintained in a manner that prevents unauthorized access and  
minimizes release to the environment.

(1) Unauthorized access shall be prevented by means of visual control or a  
physical barrier when not under the direct control of the person responsible for  
the TWW.

(2) The TWW shall be accumulated in a manner that is protected from run-on  
and run-off, and placed on a surface sufficiently impervious to prevent, to the  
extent practical, contact with and leaching to soil or water, which may be  
accomplished by one of the following:

\* \* \* \* \*

(B) Containerize:

The TWW may be accumulated in containers no longer than one year  
from the date the TWW is generated or received from another handler.  
The containers shall be;

1. designed, constructed, maintained, filled, its contents so limited,  
and closed, so that under conditions normally incidental to  
handling, there will be no identifiable release of TWW materials or  
its constituents to the environment;
2. water-resistant if exposed to precipitation, run-on or run-off under  
reasonably foreseeable conditions; and
3. transported to ~~an approved landfill~~ a TWW facility within 90 days  
of being filled to capacity; or

\* \* \* \* \*

Note: Authority cited: Sections 25150, 25150.7, and 58012, Health and Safety Code.  
Reference: Sections 25150.7 and 25150.8, Health and Safety Code.

